

CDH研究班 英文論文 (2021年3月現在)

キーワード	施設	著者、タイトル、雑誌
データ全体のプロフィール、予後	九大	Nagata K, Usui N, Kanamori Y, Takahashi S, Hayakawa M, Okuyama H, Inamura N, Fujino Y, Taguchi T. The current profile and outcome of congenital diaphragmatic hernia: A nationwide survey in Japan. <i>J Pediatr Surg</i> (2013) 48: 738-744
施設規模と予後	名大	Hayakawa M, Ito M, Hattori T, Kanamori Y, Okuyama H, Inamura N, Takahashi S, Nagata K, Taguchi T, Usui N. The effect of hospital volume on the mortality of congenital diaphragmatic hernia in Japan. <i>Pediatr Int</i> (2013) 55(2): 190-196
心疾患合併CDHの予後因子	成育	Takahashi S, Sago H, Kanamori Y, Hayakawa M, Okuyama H, Inamura N, Fujino Y, Usui N, Taguchi T. Prognostic Factors of Congenital Diaphragmatic Hernia Accompanied by Cardiovascular Malformation. <i>Pediatr Int</i> (2013) 55(4): 492-497
LT比とo/e LHRの相関	阪大	Usui N, Okuyama H, Kanamori Y, Nagata K, Hayakawa M, Inamura N, Takahashi S, Taguchi T. The lung to thorax transverse area ratio has a linear correlation with the observed to expected lung area to head circumference ratio in fetuses with congenital diaphragmatic hernias. <i>J Pediatr Surg</i> (2014) 49 (8) : 1191-6
気胸	阪大	Usui N, Nagata K, Hayakawa M, Okuyama H, Kanamori Y, Takahashi S, Inamura N, Taguchi T. Pneumothoraces as a fatal complication of congenital diaphragmatic hernia in the era of gentle ventilation. <i>Eur J Pediatr Surg</i> (2014) 24(1) : 31-8
Fontan手術適応となったCDHの予後	府立母子	Shiono N, Inamura N, Takahashi S, Nagata K, Fujino F, Hayakawa M, Usui N, Okuyama H, Kanamori Y, Taguchi T, Minakami H. The outcome of patients with congenital diaphragmatic hernia and having indications for a Fontan operation: Results of a national survey in Japan. <i>Pediatr Int</i> (2014) 56(4) : 553-8
GER	千葉	Terui K, Taguchi T, Goishi K, Hayakawa M, Tazuke Y, Yokoi A, Takayasu H, Okuyama H, Yoshida H, Usui N; Japanese Congenital Diaphragmatic Hernia Study Group. Prognostic factors of gastroesophageal reflux disease in congenital diaphragmatic hernia: a multicenter study. <i>Pediatr Surg Int</i> (2014) 30(11) : 1129-34
再発	九大	Nagata K, Usui N, Terui K, Takayasu H, Goishi K, Hayakawa M, Tazuke Y, Yokoi A, Okuyama H, Taguchi T; Japanese Congenital Diaphragmatic Hernia Study Group. Risk Factors for the Recurrence of the Congenital Diaphragmatic Hernia— Report from the long-term follow-up study of Japanese CDH Study Group— <i>Eur J Pediatr Surg</i> (2015) 25(1) : 9-14

ECMO	府立 母子	Inamura N, Usui N, Okuyama H, Nagata K, Hayakawa M, Kanamori Y, Taguchi T, Takahashi S, Fujino Y; Extracorporeal membrane oxygenation for congenital diaphragmatic hernia in Japan <i>Pediatr Int</i> (2015) 57(4) : 682-6
手術方法、 systematic review	千葉	Terui K, Nagata K, Ito M, Yamoto M, Shiraishi M, Taguchi T, Hayakawa M, Okuyama H, Yoshida H, Masumoto K, Kanamori Y, Goishi K, Urushihaba N, Kawataki M, Inamura N, Kimura O, Okzaki T, Toyoshima K, Usui N; Surgical approaches for neonatal congenital diaphragmatic hernia: a systematic review and meta-analysis <i>Pediatr Surg Int</i> (2015) 31(10) : 891-7
成長障害	千葉	Terui K, Nagata K, Hayakawa M, Okuyama H, Ito M, Goishi K, Yokoi A, Tazuke Y, Takayasu H, Yoshida H, Usui N, Taguchi T and the Japanese CDH Study Group; Growth assessments and the risk of growth retardation in congenital diaphragmatic hernia: the multicenter follow-up study. <i>Eur J Pediatr Surg</i> (2016) Feb; 26(1):60-6
胸郭変形のリスク 因子	筑波	Takayasu H, Masumoto K, Hayakawa M, Okuyama H, Usui N, Nagata K, Taguchi T, and the Japanese CDH Study Group. Musculoskeletal abnormalities in congenital diaphragmatic hernia survivors: Patterns and risk factors: report of a Japanese multicenter follow-up survey. <i>Pediatr Int.</i> 2016 Sep;58(9):877-80.
手術タイミング	阪大	Okuyama H, Usui N, Hayakawa M, Taguchi T; Japanese CDH study group. Appropriate timing of surgery for neonates with congenital diaphragmatic hernia: early or delayed repair? <i>Pediatr Surg Int.</i> 2017 Feb;33(2):133-138.
心エコーによる予 後予測	静岡 こども	Yamoto M, Inamura N, Terui K, Nagata K, Kanamori Y, Hayakawa M, Tazuke Y, Yokoi A, Takayasu H, Okuyama H, Fukumoto K, Urushihara N, Taguchi T, Usui N. Echocardiographic predictors of poor prognosis in congenital diaphragmatic hernia. <i>J Pediatr Surg.</i> 2016 Dec;51(12):1926-1930.
胎児MRI、重症度	名大	Hattori T, Hayakawa M, Ito M, Sato Y, Tamakoshi K, Kanamori Y, Okuyama H, Inamura N, Takahashi S, Fujino Y, Taguchi T, Usui N. The relationship between three signs of fetal magnetic resonance imaging and severity of congenital diaphragmatic hernia. <i>J Perinatol.</i> 2017 Mar;37(3):265-269.
出生後因子による リスク分類	千葉	Terui K, Nagata K, Kanamori Y, Takahashi S, Hayakawa M, Okuyama H, Inamura N, Yoshida H, Taguchi T, Usui N. Risk stratification for congenital diaphragmatic hernia by factors within 24 h after birth. <i>J Perinatol.</i> 2017 Jul;37(7):805-808.
急性期栄養	千葉	Terui K, Usui N, Tazuke Y et al. Impact of nutrition in the treatment of congenital diaphragmatic hernia. <i>Pediatr Int.</i> 2019 May;61(5):482-488
出生前リスク解析	千葉	Terui K, Nagata K, Hayakawa M et al. Novel risk score for fetuses with congenital diaphragmatic hernia based on ultrasound findings. <i>Eur J Pediatr Surg.</i> 2019 Oct 10

気胸のリスク	府立 母子	Masahata K, Usui N, Nagata K et al. Risk factors for pneumothorax associated with isolated congenital diaphragmatic hernia: results of a Japanese multicenter study” <i>Pediatr Surg Int.</i> 2020 Jun;36(6):669-677.
出生前重症度予測	千葉	Terui K, Nagata K, Hayakawa M et al. Novel Risk Score for Fetuses with Congenital Diaphragmatic Hernia Based on Ultrasound Findings. <i>Eur J Pediatr Surg.</i> 2020 Feb;30(1):51-58.
ガイドライン	名大	Ito M, Terui K, Nagata K, et al. Clinical guidelines for the treatment of congenital diaphragmatic hernia: The Japanese Congenital Diaphragmatic Hernia Study Group” <i>Pediatr Int.</i> 2021

- Hayakawa M, et al. Nationwide Survey on the current state of congenital diaphragmatic hernia in Japan. Hot Topics in Neonatology 2011, Washington DC, USA, Dec. 4-5, 2011
- Usui N, et al. Postnatal risk stratification for isolated congenital diaphragmatic hernia: results of a Japanese nationwide survey. 45th Pacific Association of Pediatric Surgeons, Shanghai, China, June 3-7, 2012
- Nagata K, et al. The current profile and outcome of congenital diaphragmatic hernia: The nationwide survey in Japan. 13th European Pediatric Surgical Association. Rome, Italy, June 13-16, 2012
- Okuyama H, et al. Is prolonged preoperative stabilization necessary in the treatment of congenital diaphragmatic hernia? A retrospective study based on a nationwide survey in Japan. 13th European Pediatric Surgical Association. Rome, Italy, June 13-16, 2012
- Usui N, et al. Risk assessment for isolated congenital diaphragmatic hernia: results of Japanese multi institutional studies. 23rd Asian Association of Pediatric Surgeons. Seoul, Korea, Oct 8-10, 2012
- Nagata K, et al. The intact discharge predictors and associated risk of mortality and morbidity in neonates with isolated left congenital diaphragmatic hernia –a report from a nationwide survey in Japan- 46th Pacific Association of Pediatric Surgeons, Hunter Valley, Australia, April 8-11, 2013
- Usui N, et al. Pneumothoracies as a fatal complication of a congenital diaphragmatic hernia in the era of gentle ventilation. 14th European Pediatric Surgical Association. Leipzig, Germany, June 5-8, 2013
- Usui N, et al. Relationship between the L/T ration and the O/E LHR in fetuses with congenital diaphragmatic hernia CDH Workshop 2013
- Nagata K, et al. The current profile and the future perspectives of congenital diaphragmatic hernia - A nationwide survey in Japan CDH Workshop 2013
- Terui K, et al. Prognostic factors of gastroesophageal reflux disease in congenital diaphragmatic hernia: a multicenter study. 15th European Pediatric Surgical Association. Dublin, Ireland, June 18-21, 2014
- Nagata K, et al. Risk Factors for the Recurrence of the Congenital Diaphragmatic Hernia – Report from the Long-Term Follow-Up Study of Japanese CDH Study Group –. 15th European Pediatric Surgical Association. Dublin, Ireland, June 18-21, 2014
- Terui K, et al. Growth assessments and the risk of growth retardation in congenital diaphragmatic hernia: a long-term follow-up study from the Japanese CDH Study. 16th European Pediatric Surgical Association. Ljubljana, Slovenia, June 16-20, 2015
- Nagata K, et al. The outcome comparison between the early operation and the delayed operation in congenital diaphragmatic hernia – a systematic review, meta-analysis of English literature and the Japanese literature. 16th European Pediatric Surgical Association. Ljubljana, Slovenia, June 16-20, 2015
- Terui K, et al. Long-term outcome in congenital diaphragmatic hernia: a study from the Japanese CDH Study Group. CDH Workshop 2015. Toronto, Canada. Sep 14-15, 2015

- Nagata K, et al. The timing of surgery and the endoscopic surgery for CDH neonates: update by means of a systematic review and a meta-analysis. CDH Workshop 2015. Toronto, Canada. Sep 14-15, 2015
 - Terui K, et al. Can Postnatal Information Predict the Outcome in Patients with Congenital Diaphragmatic Hernia?: Development of a Risk Stratification with a Series of 348 patients. AAPS 2016. Fukuoka, Japan. May 24-26.
 - Yamoto M, et al. Cardiac ultrasonographic predictors of poor prognosis in congenital diaphragmatic hernia – report from study of Japanese CDH Study Group – PAPS 2016. Hawaii, USA. April 24-28th.
 - Terui K, et al. Development of risk score for Congenital Diaphragmatic Hernia with high prognosticability. 17th EUPSA. Milano, Italy, June 16-20, 2016
 - Taguchi T, et al. Japanese congenital diaphragmatic hernia study group. What we have done, and will do. From the research conducted by Japanese congenital diaphragmatic hernia study group. CDH Workshop 2017. Liverpool, UK. Nov.14-15th 2017
 - Terui K, et al. Japanese congenital diaphragmatic hernia study group. Comparison of previous (2006-2010) and newly constructed (2011-2016) registry data of Japanese congenital diaphragmatic hernia study group. CDH Workshop 2017. Liverpool, UK. Nov.14-15th 2017
 - Miyoshi K, et al. Does the material of the prosthetic patch have the influence on the recurrence after congenital diaphragmatic hernia repair? 19th EUPSA. Paris, France, June 20-23, 2018
 - Terui K et al. “Risk Score for Prenatally Diagnosed Congenital Diaphragmatic Hernia Based on Ultrasound Finding” 20th EUPSA. Belgrade, Serbia, June 12-15, 2019
 - Usui N et al. “Management of Congenital Diaphragmatic Hernia from Prenatal Diagnosis to Long-term Follow-up” The 32nd International Symposium on Pediatric Surgical Research. Fukuoka, Japan. Sep 6-8, 2019
 - Kondo T et al. “Does the sac correlate to the better prognosis of congenital diaphragmatic hernia with hernia sac?” CDH symposium 2020, Houston, Texas, USA. Feb 10-12, 2020
 - Masahata et al. “The risk factors of pneumothorax associated with isolated congenital diaphragmatic hernia: results of a Japanese multi-center study” CDH symposium 2020, Houston, Texas, USA. Feb 10-12, 2020
-